



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

Eeln

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|-------------|----------------------|---------------------|------------------|
| 09/855,899 | 05/15/2001 | Hendrik Rotsch | A34306 | 1159 |
| 7590 | 01/06/2006 | | EXAMINER | |
| Andreas Grubert Baker Botts L.L.P. 910 Louisiana Street One Shell Plaza Houston, TX 77002-4995 | | | | DEPPE, BETSY LEE |
| | | ART UNIT | PAPER NUMBER | 2637 |
| DATE MAILED: 01/06/2006 | | | | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | | | |
|------------------------------|------------------------|---------------------|--|
| Office Action Summary | Application No. | Applicant(s) | |
| | 09/855,899 | ROTSCH ET AL. | |
| | Examiner | Art Unit | |
| | Betsy L. Deppe | 2637 | |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 27 October 2005.
 2a) This action is FINAL. 2b) This action is non-final.
 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1,2,6-8 and 10-15 is/are pending in the application.
 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
 5) Claim(s) 10 and 11 is/are allowed.
 6) Claim(s) 6-8 and 12-15 is/are rejected.
 7) Claim(s) 1 and 2 is/are objected to.
 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
 10) The drawing(s) filed on 27 October 2005 is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date: _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date: _____ | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments, see page 8, filed October 27, 2005, with respect to claims 1, 2 and 4-8 have been fully considered and are persuasive. The rejection of claims 1, 2 and 4-8 has been withdrawn.

Drawings

2. The drawings were received on October 27, 2005. These drawings are acceptable.

3. The drawings filed October 27, 2005 are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: PLL 6. Reference numeral "6" was deleted in Figure 3 of the Replacement Sheets filed October 27, 2005.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement-drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of

any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

4. The claims are objected to because of the following informalities:
 - a. in claim 1, line 9, "operate stable" should be "operate in a stable mode" (see claim 1, line 12).
 - b. in claim 1, lines 13 and 18, "said clock generation unit" should be "said controllable clock generation unit" in order to be consistent with claim 1, line 10;
 - c. in claim 2, line 2, "said output clock signal" should be "said second clock signal";
 - d. in claim 7, line 5, "of" should be deleted; and
 - e. in claim 7, line 9, "by means of" should be "according to" for clarification.

Appropriate correction is required.

Claim Rejections - 35 USC § 112

5. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
6. Claims 6-8 and 11-15 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

7. With regard to claim 6, it is unclear which claim is further limited by claim 6.

Claim 6 refers to the “method of claim 5.” However, claim 5 has been canceled.

Therefore, it is unclear if claim 6 should further limit claim 1 or claim 2.

8. With regard to claims 7 and 8, it is unclear whether the second clock signal generated by “means of an output signal regulator” on lines 9-10 also has a predetermined clock frequency (see claim 7, lines 7-8). It is also unclear whether the absence of first clock signals affects the generating step on lines 9-10.

9. With regard to claims 12-15, it is unclear what is meant by “followed by” in each of the respective claims. Are the limitations directly connected wherein the first limitation provides a signal to the second limitation? Or are the limitations coupled? For example, in claim 12, is the output of the controllable clock generator provided to the input of the frequency divider or is output of the controllable clock generator coupled to the input of the frequency divider.

Allowable Subject Matter

10. Claims 1, 2 10 and 11 are allowed.

11. The following is an examiner’s statement of reasons for allowance: prior art of record does not teach or suggests in combination a synchronization method or circuit with a phase locked loop (PLL) comprising a phase regulator wherein the PLL receives synchronization signals and generates a stable number of clock signals between two of the synchronizations signals and wherein a second clock signal is generated according

to a signal from the phase regulator (see claim 1, lines 5-8 and 12-15 and claim 10, lines 2-5 and 10-16).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

12. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Betsy L. Deppe whose telephone number is (571) 272-3054. The examiner can normally be reached on Monday, Tuesday and Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on (571) 272 - 2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Betsy L. Deppe
Primary Examiner
Art Unit 2637